

Topic Area: Tobacco Use

TU-1: Reduce the proportion of the population who are current smokers (any use in past 30 days)

TU-1a: Adults aged 18+ years (age-adjusted)

| | |
|------------------|---------------------------------------------------------------------------------------------------------------|
| Target: | 13.6 percent of adults aged 18 + years |
| Baseline: (Year) | 17.0 percent of adults aged 18 + years (2011) |
| Data source: | New Jersey Behavioral Risk Factor Survey, Center for Health Statistics, New Jersey Department of Health |

TU-1b: High school students (grades 9 to 12)

| | |
|------------------|---------------------------------------------------------------------------------------------------------------|
| Target: | 12.8 percent |
| Baseline: (Year) | 14.3 percent (2010) |
| Data source: | New Jersey Youth Tobacco Survey, Comprehensive Tobacco Control Program, New Jersey Department of Health |

TU-1c: Middle school students (grades 7 to 8)

| | |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Target: | 3.9 percent |
| Baseline: | 4.4 percent (2010) |
| Data source: | New Jersey Middle School Risk and Protective Factor Survey, Division of Mental Health and Addiction Services, New Jersey Department of Human Services |

TU-2: Reduce current tobacco use (cigarettes, cigars, smokeless tobacco, bidis) by high school students (grade 9-12)

| | |
|------------------|---------------------------------------------------------------------------------------------------------------|
| Target: | 20.0 percent |
| Baseline: (Year) | 23.3 percent (2008) |
| Data source: | New Jersey Youth Tobacco Survey, Comprehensive Tobacco Control Program, New Jersey Department of Health |

TU-3: Reduce the proportion of high school student (grades 9-12) nonsmokers exposed to secondhand smoke

| | |
|------------------|---------------------------------------------------------------------------------------------------------------|
| Target: | 43.3 percent |
| Baseline: (Year) | 48.1 percent (2010) |
| Data source: | New Jersey Youth Tobacco Survey, Comprehensive Tobacco Control Program, New Jersey Department of Health |